


■ ES-LZ55UST, ES-LZ54WST 설치 조건표[멀티브래킷]



	스크린대각(Inchs, 16:10)		87	89	97	111	120	139	150
		가로 길이(Meters)	1.86	1.92	2.09	2.40	2.58	3.00	3.23
A		세로 길이(Meters)	1.16	1.20	1.31	1.50	1.62	1.88	2.02
B	투사거리(최소, cm)		2.0	3.1	6.6	13.0	16.8	25.3	30.0
C	투사높이(최소, cm)		15.3	15.9	17.8	21.1	23.1	27.5	30.0
D	보드 천정이격 (cm) C+28.5cm		43.8	44.4	46.3	49.6	51.6	56.0	58.5

* 오차범위 ± 7%

5,600 ANSI lm




■ ES-LZ55UST, ES-LZ54WST 설치 조건표[아일랜드함]



* 오차범위 ± 5% / 아일랜드함은 별도구매 (식별번호 24105408)



■ ES-LZ55UST, ES-LZ54WST 설치 조건표[벽부형브래킷]



	스크린대각(Inchs, 16:10)		87	89	97	111
	가로 길이(Meters)		1.86	1.92	2.09	2.40
A	세로 길이(Meters)		1.16	1.20	1.31	1.50
B	투사거리(최소, cm)		2.0	3.1	6.6	19.0
C	투사높이(최소, cm)		15.3	15.9	17.8	21.1
D	보드 천정이격 (cm) C+36cm		51.3	51.9	53.8	57.1

구분	모델명	사양	G2B식별번호	조달금액 (현장설치도)
브래킷(벽부고정형)	IH-STPJB	단춧점프로젝터 벽부형	24105409	291,500



* 오차범위 ± 5% / 벽부형브래킷은 별도구매 (식별번호 24105409)